Knoll

Colours, Materials, Finishes
Workplace, Europe, 2026

Finishes 4-10
Paint 11-13
Fabrics 14-36

Finishes

Melamines

18mm



HL9 / 98
Studio White

HN9 / WL
Light Grey

HF9 / FRK
Warm Grey

HV9 / VSK
Dark Grey

HO9 / OEK
Carbon

GF9 / GFK
Light Oak

GN9 / GNK
Warm Oak

GJ9 / GJK
Light Walnut

GO9 / GOK
Dark Oak

28mm



HL
Studio White

HN
Light Grey

HF
Warm Grey

HV
Dark Grey

HO
Carbon

GF
Light Oak

GN
Warm Oak

GJ*
Light Walnut

GO
Dark Oak

Note
*GJ is also referred to as GJC elsewhere

Melamine applications by Product

	HL/HL9/**98** Studio White	HN/HN9/**WL** Light Grey	HF/HF9/**FRK** Warm Grey	HV/HV9/**VSK** Dark Grey	HO/HO9/**OEK** Carbon	GF/GF9/**GFK** Light Oak	GN/GN9/**GNK** Warm Oak	GO/GO9/**GOK** Dark Oak	GJC/GJ9/**GJK** Light Walnut
Antenna	●	●	●	●	●	●	●	●	●
Colourfold	●	●	●	●	●	●	●	●	●
KIC Cabinets	●	●	●	●	●	●	●	●	●
Konzert	●	●	●	●	●	●	●	●	●
Plateau	●	●	●	●	●	●	●	●	●
Scope	●	●	●	●	●	●	●	●	●
Tone	●	●	●	●	●	●	●	●	●
Wa meeting table	●	●	●	●	●	●	●	●	●

Laminates

Plain



LL / 98
Studio White

LN / WL
Light Grey

LU / FRK
Warm Grey

LV / VSK
Dark Grey

LO / OEK
Carbon

Wood



NK
Sand Oak

NJ / GJK
Light walnut

NM
Russet
Walnut

NO
Charcoal
Walnut

Laminate applications by Product

	LL/**98** Studio White	LN/**WL** Light Grey	LU/**FRK** Warm Grey	LV/**VSK** Dark Grey	LO/**OEK** Carbon	NJ/**GJK** Light Walnut	**NK** Sand Oak	**NM** Russet Walnut	**NO** Charcoal
Antenna	●	●	●	●	●				
Colourfold	●	●	●	●	●				
KIC Cabinets	●	●	●	●	●				
Konzert	●	●	●	●	●	●	●	●	●
Plateau	●	●	●	●	●				
Scope	●	●	●	●	●				
Tone	●	●	●	●	●				
Wa meeting table	●	●	●	●	●				

Techgrains



T1
Natural



SGJ
Caramel
Walnut



SGL
Medium
Brown
Walnut



S3
Dark Grey

Veneers



VO
Light Oak



WN
Walnut



OS3
Black Brown
Oak

Techgrain/Veneer applications by Product

	S3 Dark Grey Techgrain	**SGJ** Caramel Walnut Techgrain	**SGL** Medium Brown Walnut Techgrain	**T1** Natural Techgrain	**OS3** Black Brown Oak Veneer	**VO** Oak Veneer	**WN** Walnut Veneer
Antenna	●			●		●	●
Colourfold	●			●		●	●
KIC Cabinets	●			●			
Konzert	●	●	●	●	●	●	
Plateau	●			●		●	●
Scope	●			●			

Paint

Paint

Smooth



98
Studio White

P0A
White

P0Q
Light Grey

P0R/FRK
Warm Grey

P0S/VSK
Dark Grey

P0E
Carbon



P0F
Yellow

P0H
State Blue

P0I
Blue

P0J
Dark Red

P0L
Red

P43
Raw

P56
Silver

Textured



P54
White

P77
Silver

P76
Graphite

G1
Graphite

P01
Dark Grey

Premium



P34
Bronze

P74
Manganese

Paint applications by Product

	98 Studio White	**P0A** White	**P0Q** Light Grey	**P0R** / FRK Warm Grey	**P0S** / VSK Dark Grey	**G1** Graphite	**P0E** Carbon	**P0F** Yellow	**P0H** Slate Blue	**P0I** Blue	**P0J** Dark Red	**P0L** Red	**P43** Clear Lacquer	**P56** Silver	**P54** Bright White	**P77** Silver	**P76** Graphite	**P01** Dark Grey	**P34** Bronze	**P74** Manganese
Antenna		●	●	●	●		●	●	●	●	●	●								
Carini pedestal	●	●	●	●	●	●	●	●	●	●	●	●			●	●	●	●		
Colourfold		●	●	●	●		●	●	●	●	●	●			●	●	●	●		
Colourfold handles		●	●	●	●		●	●	●	●	●	●		●	●	●	●	●		
KIC cabinets															●	●	●	●		
Konzert		●	●	●	●		●												●	●
Plateau															●	●	●	●		
Scope table		●	●	●	●		●	●	●	●	●	●	●		●	●	●	●		
Tone		●					●													
Wa meeting table		●	●	●	●		●	●	●	●	●	●			●	●	●	●		

Fabrics

Atlantic

Application	Contract
Panel group	F
Colours	56

Composition	100% Recycled polyester
Width	150cm
Weight	530 grams per linear metre
Abrasion	110,000 Martindale
Piling	4-5
Light fastness	5-7
Flammability	EN 1021 parts 1 and 2

See fabric card for Maintenance, and Certification

Product by Gabriel



Blend


Application	Contract
Panel group	Q
Colours	24

Composition	100% Post-consumer recycled polyester
Width	140cm
Weight	415 grams per linear metre
Abrasion	100,000 Martindale
Piling	4-5
Light fastness	7-8
Flammability	EN 1021 parts 1 and 2


See fabric card for Maintenance, and Certification

Product by Gabriel


BD11
1101


BD12
1201


BD13
1301


BD14
1401


BD15
1501


BD16
1601


BD17
1701


BD18
1801


BD19
1901



BD20
2001


BD21
2101



BD22
2201


BD23
2301


BD24
2401


BD25
2501


BD26
2601



BD27
2701



BD28
2801


BD29
2901


BD30
3001


BD31
3101


BD32
3201


BD33
3301


BD34
3401

Connect

Application	Contract
Panel group	Q
Colours	38

Composition	48% Wool, 41% Recycled polyester, 9% PA, 2% PES
Width	140cm
Weight	370 grams per linear metre
Abrasion	90,000 Martindale
Piling	4-5
Light fastness	5-7
Flammability	EN 1021 parts 1 and 2 BS5852 (Crib 5)

See fabric card for Maintenance, and Certification

Product by Gabriel


CC46
60146


CC47
60147


CC52
60152


CC53
60153


CC99
60999


CC07
61207


CC08
61208


CC61
61209


CC14
61210


CC12
61211


CC21
61212


CC09
62109


CC62
62110


CC11
62111


CC06
63106


CC63
63107


CC29
64229


CC30
64230


CC31
64231


CC32
64232


CC22
65122


CC24
65124


CC25
65125


CC26
65126


CC27
65127


CC28
65128


CC03
66203


CC05
66205


CC02
66206


CC66
66207


CC04
66208


CC13
67113


CC15
67115


CC34
68229


CC23
68230


CC82
68231


CC45
68232


CC33
68233

Crisp

Application	Contract
Panel group	K
Colours	40

Composition	93% Wool, 7% Polyamide
Width	140cm
Weight	460 grams per linear metre
Abrasion	200,000 Martindale
Piling	4-5
Light fastness	5-7
Flammability	BS 5852 Part 1 0, BS EN 1021 1&2, Class Uno UNI 9175 Class 1

See fabric card for Maintenance, and Certification

Product by Gabriel



CS11 4011 | **CS13** 4013 | **CS21** 4021 | **CS22** 4022 | **CS31** 4031 | **CS32** 4032 | **CS33** 4033 | **CS34** 4034 | **CS15** 4115 | **CS17** 4117

CS35 4122 | **CS43** 4123 | **CS25** 4125 | **CS28** 4201 | **CS03** 4203 | **CS19** 4211 | **CS47** 4301 | **CS02** 4302 | **CS41** 4411 | **CS45** 4430

CS46 4431 | **CS44** 4432 | **CS61** 4601 | **CS62** 4602 | **CS63** 4603 | **CS04** 4604 | **CS65** 4605 | **CS66** 4701 | **CS67** 4702 | **CS68** 4711

CS69 4712 | **CS70** 4721 | **CS71** 4722 | **CS72** 4723 | **CS73** 4731 | **CS74** 4741 | **CS75** 4751 | **CS76** 4752 | **CS77** 4761 | **CS78** 4771

Cura

Application	Contract
Panel group	Q
Colours	50

Composition	100% Post-consumer recycled polyester
Width	140cm
Weight	420 grams per linear metre
Abrasion	100,000 Martindale
Piling	4-5
Light fastness	5-8
Flammability	EN 1021 parts 1 and 2

See fabric card for Maintenance, and Certification

Product by Gabriel



Cyber

Application	Contract
Panel group	Q
Colours	27


Composition	100% Post-consumer recycled polyester
Width	140cm
Weight	570 grams per linear metre
Abrasion	120,000 Martindale
Piling	4-5
Light fastness	7-8
Flammability	EN 1021 parts 1 and 2

See fabric card for Maintenance, and Certification

Product by Gabriel



CY11
1101



CY02
1102


CY12
1201



CY30
1301



CY13
1302



CY14
1401


CY15
1501


CY16
1601



CY17
1701


CY80
1801


CY18
1802


CY03
1803


CY19
1901



CY20
2001


CY21
2101


CY10
2102


CY22
2201



CY23
2301


CY24
2401



CY50
2501



CY25
2502


CY26
2601


CY27
2701


CY28
2801


CY29
2901


CY00
3001


CY31
3101

Fame

Application	Contract
Panel group	K
Colours	60

Composition	95% Wool, 5% Polyamide
Width	140cm
Weight	630 grams per linear metre
Abrasion	200,000 Martindale
Piling	4-5
Light fastness	5-7
Flammability	EN 1021 parts 1 and 2 BS5852 (Crib 5), Uni 9175 Class 1

See fabric card for Maintenance, and Certification

Product by Gabriel




Hush

Application	Contract
Panel group	F
Colours	28
Composition	80% Polyester, 20% Viscose
Weight	290 grams per linear metre
Abrasion	100,000 Martindale
Light fastness	5-7
Flammability	BS 476 Part 7 Class 1

See fabric card for Maintenance, and Certification

Product by Gabriel



HU54
60154



HU55
60155



HU56
60156



HU15
60158



HU59
60159



HU23
60203



HU90
60900



HU74
61174



HU76
61176



HU25
61225



HU26
61226



HU62
62068



HU58
63058



HU83
63083



HU20
64120



HU64
64148



HU77
65077



HU78
65078



HU33
66133



HU35
66135



HU69
66169



HU70
66170



HU46
67046



HU48
67048

HU02
68102



HU03
68103



HU68
68159



HU60
68160

Morph

Application	Contract
Panel group	K
Colours	24

Composition	85% New-Zeeland Wool, 15% Polyamide
Width	140cm
Weight	475 grams per linear metre
Abrasion	200,000 Martindale
Piling	4
Light fastness	5-6
Flammability	EN 1021 1&2, EN 5852 parts 1 and 2, 1979. BS5852 (Crib 5)



MO11
1101


MO21
2101



MO17
2102


MO03
2103



MO04
2104


MO01
3101


MO31
3102


MO41
4101


MO16
4102


MO51
5101


MO61
6101


MO71
7101


MO81
8101


MO91
9101


MO02
9102


MO08
10101


MO19
10102


MO06
10103


MO05
11101


MO18
11102


MO12
12101


MO15
12102


MO13
13101


MO14
14101

See fabric card for Maintenance, and Certification

Product by Gabriel

Reflect

Application	Contract
Panel group	B
Colours	35

Composition	100% post-consumer recycled polyester
Width	140cm
Weight	430 grams per linear metre
Abrasion	100,000 Martindale
Piling	4
Light fastness	6-7

See fabric card for Maintenance, and Certification

Product by Kvadrat



RR04 104
RR14 114
RR24 124
RR54 154
RR16 164
RR17 174
RR18 184
RR19 194
RR20 204
RR22 224
RR27 274
RR03 344
RR37 374
RR84 384
RR40 404
RR34 434
RR44 444
RR46 464
RR56 564
RR57 574
RR61 614
RR64 644
RR67 674
RR69 694
RR71 714
RR74 744
RR70 774
RR79 794
RR82 824
RR88 884
RR92 924
RR09 944
RR96 964
RR98 984
RR94 994

Remix

Application	Contract
Panel group	K
Colours	72 page 1 of 2

Composition	90% New Wool, 10% Nylon
Width	140cm
Weight	420 grams per linear metre
Abrasion	100,000 Martindale
Piling	4
Light fastness	5-7
Flammability	EN 1021-2

See fabric card for Maintenance, and Certification

Product by Kvadrat



Remix

Application	Contract
Panel group	K
Colours	72 page 2 of 2

Composition	90% New-Wool, 10% Nylon
Width	140cm
Weight	420 grams per linear metre
Abrasion	100,000 Martindale
Piling	4
Light fastness	5-7
Flammability	EN 1021-2

See fabric card for Maintenance, and Certification

Product by Kvadrat



RX86
866



RX87
873



RX90
906



RX91
912



RX92
923



RX93
933



RX94
942



RX95
954



RX96
962



RX97
973



RX98
982



RX99
996

Revive 1

Application	Contract
Panel group	B
Colours	25

Composition	100% Recycled Polyester FR
Width	140cm
Weight	420 grams per linear metre
Abrasion	60,000 Martindale
Piling	4-5
Light fastness	5-7
Flammability	EN 1021 1&2, UNI 9175 Class 1

See fabric card for Maintenance, and Certification

Product by Kvadrat



RE44
144



RE54
154



RE64
164



RE84
184



RE19
194


RE24
224



RE74
274



RE28
284



RE32
324



RE38
384



RE14
414



RE42
424



RE43
434



RE45
454



RE52
524



RE34
534



RE63
634



RE66
664



RE75
754



RE76
764



RE77
774



RE83
834



RE91
914



RE94
944




RE97
974

Re-Wool


Application	Contract
Panel group	K
Colours	25
Composition	45% New Wool, 25% Nylon
Width	140cm
Weight	540 grams per linear metre
Abrasion	100,000 Martindale
Piling	4
Light fastness	6
Flammability	BS5852 part 1, EN 1021 1&2, UNI 9175 Class 1, 1IM

See fabric card for Maintenance, and Certification

Product by Kvadrat



97901
0108



97902
0128



97922
0147



97903
0158



97904
0198



97905
0218



97923
0347



97924
0377



97925
0397



97926
0447




97911
0558




97912
0568




97927
0577




97914
0648



97928
0657



97929
0687



97916
0718




97930
0767




97931
0787



97932
0797



97920
0858



97921
0868



97933
0967



97934
0977



97935
0987

Step


Application	Contract
Panel group	Q
Colours	57

Composition	100% Trevira CS
Width	140cm
Weight	470 grams per linear metre
Abrasion	100,000 Martindale
Piling	4-5
Light fastness	5-7
Flammability	EN 1021 1&2, BS5852 (Crib 5), BS7176 m, UNI 9176 Class 1

See fabric card for Maintenance, and Certification

Product by Gabriel


SP04
60004


SP11
60011


SP21
60021


SP90
60090


SP91
60091


SP92
60092


SP99
60999


SP03
61103


SP49
61149


SP57
62057


SP27
62073


SP12
63012


SP75
63075


SP82
63082


SP13
64013


SP59
64159


SP78
64178


SP79
64179


SP51
65011


SP18
65018


SP23
65023


SP47
65047


SP08
66018


SP19
66019


SP48
66148


SP05
66149


SP69
66150


SP66
66151


SP52
66152


SP74
67004


SP07
67007


SP72
67072


SP73
67073


SP88
68118


SP89
68119


SP20
68120


SP81
68121


SP58
68158


SP68
68159


SP61
68161

SP62
68162

SP63
68163

SP65
68165

Step Melange

Application	Contract
Panel group	Q
Colours	54

Composition	100% Trevira CS
Width	140cm
Weight	470 grams per linear metre
Abrasion	100,000 Martindale
Piling	4-5
Light fastness	5-7
Flammability	EN 1021 1&2, BS5852 (Crib 5), BS7176 m, UNI 9176 Class 1

See fabric card for Maintenance, and Certification

Product by Gabriel



SM04
60004



SM11
60011



SM01
60021



SM90
60090



SM92
60092



SM03
61103



SM14
61104



SM49
61149



SM16
61151



SM52
61152



SM57
62057



SM73
62073



SM75
63075



SM82
63082



SM13
64013



SM59
64159



SM78
64178



SM79
64179



SM51
65011



SM22
65018



SM06
65023



SM47
65047



SM08
66018



SM19
66019



SM48
66148



SM69
66149



SM12
66150



SM66
66151



SM53
66152



SM74
67004



SM77
67007



SM72
67072



SM88
68118



SM89
68119



SM20
68120



SM81
68121



SM58
68158



SM68
68159



SM61
68161



SM62
68162

SM63
68163

SM65
68165

Twist

Application	Contract
Panel group	F
Colours	18

Composition	100% Trevira CS
Width	170cm
Weight	370 grams per linear metre
Piling	4-5
Light fastness	5-7
Flammability	UNI 9175 Class 1

See fabric card for Maintenance, and Certification

Product by Gabriel


TW04
60004


TW11
60011


TW21
60021


TW76
60076


TW99
60999


TW02
61102


TW03
61103


TW14
61104


TW66
62066


TW12
63012


TW75
63075


TW13
64013


TW58
65018


TW18
66018


TW74
67004


TW68
68118


TW19
68119


TW20
68120

Twist Melange

Application	Contract
Panel group	F
Colours	17

Composition	100% Trevira CS
Width	170cm
Weight	345 grams per linear metre
Abrasion	100,000 Martindale
Light fastness	5-7
Flammability	UNI 9175 Class 1

See fabric card for Maintenance, and Certification

Product by Gabriel


TM04
60004


TM11
60011


TM21
60021


TM76
60076


TM02
61102


TM03
61103


TM14
61104


TM66
62066


TM12
63012


TM75
63075


TM13
64013


TM58
65018


TM18
66018


TM74
67004


TM68
68118


TM19
68119


TM20
68120

Fabric applications by Product

	Atlantic	Blend	Connect	Crisp	Cura	Cyber	Fame	Hush	Morph	Reflect	Remix	Revive1	Re-Wool	Step	Step Melange	Twist	Twist Melange
	F	Q	Q	K	Q	Q	K	F	K	B	K	B	K	Q	Q	F	F
Antenna	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Carini pedestal cushion	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Colourframe	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Konzert Private Office	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Plateau	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Scope	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●
Tone	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●

Note
Please note Knoll Workplace price bands, from lowest to highest are: F, Q, B, K, R

Fabric Suppliers

Gabriel

Paris
4 Place de Valois
75001 Paris
France
+33 1 44 82 96 26
mailFR@gabriel.dk

London
Ground Floor, 21 Clerkenwell Green
EC1R 0DX London
United Kingdom
+44 203 921 0582
mailUK@gabriel.dk

Milan
Via Marco Polo 4
20124 Milan
Italy
+39 0235946555
maillT@gabriel.dk

Madrid
Calle Conde de Aranda 16, 1º derecha
28001 Madrid
Spain
+34 91 456 77 29
mailES@gabriel.dk

Copenhagen
Christianshavns Kanal 4
1406 Copenhagen
Denmark
+45 4213 4520
mmp@gabriel.dk

Helsinki
Perämiehenkatu 11
00150 Helsinki
Finland
+358 50 512 91 10
krisa@gabriel.dk

Oslo
Trondheimsveien 156
0570 Oslo
Norway
+47 905 78 141
cmoen@gabriel.dk

Stockholm
Rosenlundsgatan 40
118 53 Stockholm
Sweden
+46 8 124 437 60
mailSE@gabriel.dk

Gothenburg
Studio L6, Lasarettsgatan 6
411 19 Gothenburg
Sweden
+46 709 757165
elo@gabriel.dk

Bingen
Bingerbrücker Strasse 4
55411 Bingen
Germany
+49 6721 98733-0
mailDE@gabriel.dk

Hamburg
Süd
Große Elbstrasse 43-49 Haus 45, Ebene 1, EG

22767 Hamburg
Germany
+49 6721 98733-0
mailDE@gabriel.dk

München
i.H. House of Communication
Ueberlab, August-Everding-Straße 25
81671 München
Germany
+49 6721 98733-0
mailDE@gabriel.dk

Fabric Suppliers

Kvadrat

Paris
33 Rue Charlot
75003 Paris
France
+33 1 4244 2929

London
10 Shepherdess Walk
N1 7LB London
United Kingdom
+44 07730 495 874

Knoll Locations

London
20 St. John's Square
EC1M 4AH London
United Kingdom
+44 (0)20 7236 6655

Paris
268 Boulevard Saint-Germain
75007 Paris
France
+33 (0)1 44 18 19 99

Milano
Piazza Bertarelli 2
20122 Milano
Italy
+39 (0)2 722 2291

Knoll

Knoll

Colours, Materials, Finishes
Workplace, Europe, 2026