Knoll Studio Colours, Materials & Finishes

Knoll

Sections

Fabric
Leather
Hard Surfaces
Product Specific Finishes
Outdoor


Crociera

Content
Acrylic 47%
Cotton 26%
Flax 9%
Polyester 9%
Viscose 9%

Lightfastness
ISO 4/5

Abrasion
30,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent




65CRO Ivory



35CRO Brown



52CRO Bluish Green



14CRO Blue

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.


Fedro

Content
Acrylic 45%
Cotton 19%
Flax 12%
Polyester 12%
Viscose 12%


Lightfastness
ISO 4/5

Abrasion
30,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent



01FED White



03FED Sand

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Hyle

Content
Cotton 20%
Polyester 80%

Lightfastness
ISO 5

Abrasion
100,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent



07H Ice



05H Olive



04H Moss



06H Light Grey



02H Grey



03H Dark Blue



01H Black

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Pegaso

Content
Acrylic 43%
Cotton 25%
Polyester 15%
Viscose 14%
Wool 3%

Flame Resistance
California Technical
Bulletin 117-2013
British Standard 5852: 1979
Part1 (cigarette & match)

Lightfastness
ISO 3/5

Abrasion
25,000 rubs
Martindale method


Maintenance
Dry clean, only




06PE Ivory




05PE Sand




04PE Taupe



02PE Brick



01PE Burgundy



03PE Lagoon



08PE Blue



09PE Dark Grey



07PE Light Grey

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.


Puff
K2433

Content
Polyester 100%


Abrasion
50,000+ double rubs,
Wyzenbeek method



K24331 Cloud




K243312 Charcoal




K24333 Taupe




K243310 Bronze



K24332 Honey



K24335 Evergreen



K24339 Rubyss



K243313 Sable

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Sahara

Content
Linen 42%
Cotton 32%
Viscose 19%


Lightfastness
ISO 4

Abrasion
60,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent




AH42 Almond




AH01 Linen




AH03 Sand




AH27 Elephant




AH04 Rope



AH21 Sage



AH24 Lake



AH43 Cupcake

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

West

Content
Cotton 38%
Acrylic 24%
Viscose 18%
Wool 12%
Nylon 2%

Flame Resistance
BS 5852:2006


Lightfastness
ISO 4/5

Abrasion
62,000 rubs
Martindale method


Maintenance
Clean with solvent-based cleaning agent



01WE White



19WE Light Brown



03WE Light Grey



10WE Grey



12WE Green

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Alpaca

Content
Pile:
Alpaca 60%
New Wool 27%
Nylon 13%
Ground:
Cotton 70%
Polyester 19%
Viscose 11%

Flame Resistance
BS 5852:2006

Lightfastness
ISO 4

Abrasion
40,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent



01AL Ivory



02AL Beige



1103AL Red




601AL Purple



1107AL Ice



11AL Dark Grey



12AL Black



09AL Green



1114AL Taupe

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Circa


Content
Rayon 48%
Polyester 36%
Cotton 16%

Flame Resistance
California Technical Bulletin 117
NFPA260 (UFAC class 1)
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)

Lightfastness
ISO 4

Abrasion
40,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent


K10546 Brick


K10541 Ivory


K10542 Camel


K10543 Silver


K10544 Blue


K10545 Leaf


K10547 Olive


K10548 Bordeaux


K10549 Red


K105410 Taupe


K105411 Brown


K105412 Charcoal


K105413 Black

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Circle

Content
Viscose 76%
Cotton 13%
Flax 8%
Nylon 3%


Lightfastness
ISO 4/5

Abrasion
100,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent




02CI Ivory



03CI Sand




04CI Dark Brown




01CI Steel




06CI Teal




05CI Alp Green



09CI Bordeaux



08CI Ginger



07CI Lemon Curry

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.


Crumble

Content
Polyester 29%
Wool 25%
Acrylic 25%
Cotton 21%


Lightfastness
ISO 4

Abrasion
70,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent



CM01 Butter



CM02 Artic



CM03 Hemp



CM04 Camel




CM06 Mastic



CM11 Indigo




CM14 Castor



CM25 Oldgold



CM26 Felch



CM29 Peacock

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Curly

Content
Acrylic 33%
Viscose 32%
Wool 16%
Polyester 8%
Cotton 7%
Flax 4%

Flame Resistance
California Technical
Bulletin 117-2013
British Standard 5852: 1979
Part1 (cigarette & match)

Abrasion
50,000 rubs
Martindale method


Maintenance
Dry clean, only




01CU White




02CU Ivory




05CU Mustard



04CU Brown



06CU Green



08CU Burgundy



07CU Blue



03CU Dark Grey

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Esopo

Content
Acrylic 33%
Viscose 25%
Wool 17%
Polyester 14%
Cotton 11%


Lightfastness
ISO 3/4

Abrasion
30,000 rubs
DIN EN ISO 12947-2

Maintenance
Clean with solvent-based cleaning agent



01ESO White



81ESO Avio

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.


Explorer

Content
Viscose 56%
Flax 18%
Acrylic 18%
Jute 8%

Lightfastness
ISO 4/5

Abrasion
30,000 rubs
Martindale method


Maintenance
Clean with solvent-based cleaning agent



06EX Light Beige




26EX Sand



21EX Blue



17EX Navy



10EX Aubergine

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Knoll Hopsack


Content
Wool 100%

Flame Resistance
NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)

Lightfastness
ISO 4

Abrasion
40,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent



K120613 Putty



K12061 Buff



K12062 Stucco




K12063 Celery



K12064 Lime



K12065 Olive



K12066 Gold

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Knoll Hopsack


Content
Wool 100%

Flame Resistance
NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)

Lightfastness
ISO 4


Abrasion
40,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent


K12067 Orange


K12068 Melon


K12069 Magenta


K120610 Red


K120611 Admiral


K120612 Navy


K120616 Black


K120614 Silver


K120615 Charcoal

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Iseo

Content
Cotton 100%

Lightfastness
ISO 4/5

Abrasion
80,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent

01IS Ivory



02IS Beige



03IS Burgundy



04IS Bordeaux



05IS Orange



06IS Olive



07IS Dark Green



08IS Avion



09IS Dark Blue



10IS Grey Lilac



11IS Light Grey



12IS Dark Grey



13IS Black

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Knoll Felt

Content
Wool 100%

Flame Resistance
NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)

Lightfastness
ISO 4

Abrasion
40,000 rubs
Martindale method

Maintenance
Clean with solvent-based
cleaning agent



K120710 Grape

K12071 Ivory



K12072 Tan



K12073 Apple



K12074 Green



K12075 Canary



K12076 Tangerine

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Knoll Felt

Content
Wool 100%

Flame Resistance
NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)

Lightfastness
ISO 4

Abrasion
40,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent


K12077 Poppy


K12078 Pink


K12079 Rouge


K120711 Cadet


K120712 Baltic


K120713 Blue


K120714 Toast


K120715 Mocha


K120716 Carob


K120717 Pewter


K120718 Grey


K120719 Smoke


K120720 Tar

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Moon

Content
Trevira CS 100%

Flame Resistance
UNI 9177 - Classe 1
California TB 117:2013
EN 1021-1&2
BS 5852-Part 0-1 (C&M)
IMO MSC 307(88)
Annex 1 Part 7+8
NF P 92-503-507 M1
DIN 4102 B1
UNI 9175 - 1.IM
NFPA 260:2019


Lightfastness
ISO 5


Abrasion
190,000 rubs
Martindale method

Maintenance
Wet cleaning warp
Shrinkage app. 2%


12MO Beige


13MO Ivory


10MO Mustard


11MO Mink


04MO Dark Blue



05MO Navy Blue


03MO Light Grey


09MO Moss


08MO Dark Red


07MO Burgundy


06MO Orange


02MO Dark Grey


01MO Black

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Soft Spin

Knoll

Content
Polyester 64%
Viscose 14%
Cotton 12%
Flax 7%
Nylon 2%
Elastane 1%

Lightfastness
ISO 5/6

Abrasion
40,000 rubs
Martindale method



T3F801 Cotton



T3F802 Canvas



T3F804 Cobalt



T3F803 Noir

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Tonus

Knoll


Content
90% new wool
10% Helanca

Flame Resistance NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)

Lightfastness
5

Abrasion
100,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent



100T Ivory



118T Pistachio Green



125T Orange



128T Black



129T Bright Azure



130T Bright Red



131T Dark Olive

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Tonus

Knoll

Content
90% new wool
10% Helanca

Flame Resistance NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)

Lightfastness
5

Abrasion
100,000 rubs
Martindale method


Maintenance
Clean with solvent-based cleaning agent


132T Dark Blue


135T Sand


207T Dark Copper


210T Navy Blue


216T Steel


224T Creme


240T Grey Brown


244T Light Brown


364T Medium Brown


374T Rust


394T Dark Brown


424T Yellow


440T Medium Yellow


454T Light Orange


464T Light Copper


474T Copper


508T Light Azure


554T Dark Orange

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Tonus

Knoll

Content
90% new wool
10% Helanca

Flame Resistance NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)

Lightfastness
5

Abrasion
100,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent


605T Medium Copper


608T Light Red


609T Dark Red


610T Dark Burgandy


613T Turtle Dove


615T Dark Grey


619T Bottle Green


613T Bright Blue


634T Dark Purple

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.


Credo

Content
New wool 95%
Polyamide 5%

Flame Resistance
FAR 25.853 (12 sec. vertical)
CAL TB 117-2013
DIN 4102-1 B2
EN 13501-1
EN 1021-1 and -2
BS 5852:2006 (part 1)
BS 5852:2006 (part 2) Crib 5
BKZ: 5.3 SN 198898
UNI 9175 (1 IM)
IMO: 2014/90/EU/Marine Equipment Directive

Lightfastness
Min 5-8 EN ISO 105-B02


Maintenance
Dry clean




RCR95 Chalk



RCR02 Snow




RCR34 Calla




RCR82 Jaspis




RCR90 Navy



RCR86 Lake



RCR97 Zinn



RCR16 Pepper



RCR08 Black



RCR25 Asphalt

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Eva

Content
Cotton 100%

Lightfastness
ISO 4/5

Abrasion
50,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent



171EVA Avio




172EVA Steel



140EVA Sea Green



149EVA Ocean



170EVA Night Blue



125EVA Rose



177EVA Beige

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Eva

Content
Cotton 100%

Lightfastness
ISO 4/5

Abrasion
50,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent


131EVA Dune


135EVA Clay


134EVA Ebony


115EVA Saffron


116EVA Cayenne


120EVA Wine


119EVA Plum


168EVA Mousse


145EVA Olive


144EVA Bottle Green


169EVA Cactus


138EVA Black

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Fiord


Content
New wool 92%
Nylon 8%

Flame Resistance
California Technical
Bulletin 117
EN1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)

Lightfastness
ISO 6

Abrasion
60,000 rubs
Martindale method


Maintenance
Clean with solvent-based
cleaning agent




251FI Sand



101FI Pearl



121FI Light Grey




151FI Grey



171FI Medium Grey



191FI Charcoal



201FI Ivory



271FI Beige



351FI Light Brown



371FI Brown

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Fiord

Content
New wool 92%
Nylon 8%


Flame Resistance
California Technical
Bulletin 117
EN1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)


Lightfastness
ISO 6


Abrasion
60,000 rubs
Martindale method


Maintenance
Clean with solvent-based
cleaning agent



391FI Dark Brown


451FI Mustard



521FI Pink



551FI Dark Pink



571FI Bright Red



581FI Red



591FI Burgundy



721FI Light Azur


751FI Light Blue



771FI Blue



791FI Dark Blue


821FI Azur


951FI Light Green


961FI Green


971FI Medium Green


981FI Forest Green


991FI Dark Green

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Hallingdale


Content
70% new wool
30% viscose

Flame Resistance NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)


Lightfastness
7

Abrasion
100,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent




103H Powder




110H Grey Ivory




113H Dark Powder




116H White Grey



123HTurtle Dove



126H White Black



130H Light Grey

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Hallingdal


Content
70% new wool
30% viscose


Flame Resistance NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)


Lightfastness
7

Abrasion
100,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent


143H Grey


153H Medium Grey


166H Black White


173H Dark Grey


180H Smoke


190H Black


200H Sand



220H Ivory Beige


224H Biscuit


227H Brown Light Grey


270H Grey Brown


350H Brown



368H Coffee Light Grey


370H Coffee


376H Dark Brown Grey


390H Dark Brown


407H White Yellow


420H Mustard Green

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Hallingdal

Content
70% new wool
30% viscose


Flame Resistance NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)

Lightfastness
7

Abrasion
100,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent



457H Mustard


526H Fuchsia Yellow


547H Orange


563H Dark Fuchsia


573H Fuchsia Burgundy


590H Red Orange


596H Red Black


600H Dark Orange


657H Dark Red


660H Fuchsia Green


674H Red

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Harley

Content
Cotton 52%
Viscose 22%
Acrylic 14%
Flax 6%
Nylon 3%
Polyester 3%


Lightfastness
ISO 4/5

Abrasion
50,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent




04HL Ivory



05HL Silver



15HL Grey



07HL Dark Grey



13HL Brown/White



12HL Red Brick



03HL Green/White



01HL Olive

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Hermoso

Content
Acetate 57%
Polyester 37%
Viscose 6%

Lightfastness
ISO 4/5


Abrasion
32,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent


001HER Ivory


003HER Light Taupe



021HER Powder



020HER Copper


029HER Moss


031HER Gold


018HER Olive Green


016HER Emerald Green


024HER Sky/Blue


023HER Night Blue


011HER Dark Grey


012HER Grey

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Melange Sublime

Content
Virgin Wool 30%
Acrylic 30%
Cotton 22%
Polyester 15%
Nylon 2%
Elastane 1%

Lightfastness
ISO 5/6

Abrasion
100,000 rubs
Martindale method



T5QA01 Fawn



T5QA03 Greige



T5QA02 Taupe



T5QA05 Tuxedo



T5QA04 Phantom

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.


Opera


Content
Fleece wool 96%
Nylon 4%


Lightfastness
ISO 5/8


Abrasion
90,000 rubs
DIN EN ISO 12947-2


Maintenance
Clean with solvent-based cleaning agent


OP24 Calla



OP58 Macadamia



OP57 Flanell


OP60 Fango


OP37 Pepper



OP18 Ebony


OP54 Carbon


OP64 Prime


OP69 Delft


OP70 Navy


OP71 Indio

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Rivington

Designed by Dorothy Cosonas


Content
Wool 38%
Cotton 28%
Acrylic 28%
Polyester 6%

Flame Resistance
California Technical
Bulletin 117
NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)


Lightfastness
ISO 5

Abrasion
70,000 rubs
Martindale method


Maintenance
Clean with solvent-based
cleaning agent




K108010 Orchard




K10808 Parchment




K10801 Sunflower




K108011 Lion



K10804 Paprika



K10805 Scarlet



K108013 Dragon

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Rivington

Designed by Dorothy Cosonas


Content
Wool 38%
Cotton 28%
Acrylic 28%
Polyester 6%


Flame Resistance
California Technical
Bulletin 117
NFPA 260 (UFAC Class 1)
EN1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)


Lightfastness
ISO 5


Abrasion
70,000 rubs
Martindale method

Maintenance
Clean with solvent-based
cleaning agent



K10802 Sapphire



K108012 Palm


K10803 Spruce


K10809 Ash Gray


K10806 Aubergine


K10807 Bittersweet


K108014 Eclipse

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Solid Sublime

Content
Virgin Wool 30%
Acrylic 30%
Cotton 22%
Polyester 15%
Nylon 2%
Elastane 1%

Lightfastness
ISO 5/6

Abrasion
100,000 rubs
Martindale method



T0J701 Cream



T0J702 Greige



T0J703 Ginger



T0J704 Teddy



T0J705 Navy



T0J706 Noir

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Tosca

Content
Flax 63%
Wool 29%
Nylon 5%
Cotton 3%


Lightfastness
ISO 5

Abrasion
100,000 rubs
Martindale method


Maintenance
Clean with solvent-based cleaning agent



02TOS Beech



16TOS Moss



17TOS Atlantic




18TOS Denim



14TOS Ice



24TOS Chestnut



22TOS Carnelian



09TOS Anthracite

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Annelise

Content
Viscose 42%
Flax 34%
Acetate 20%
Nylon 2%
Polyester 2%

Lightfastness
ISO 4/5

Abrasion
90,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent



02AN Natural




03AN Ivory




05AN Sand




07AN Plume




08AN Pearl




09AN Sea Water



10AN Graphite



12AN Terracotta



20AN Marine

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Ultrasuede®

Content
Polyester microfiber 49%
(30% plant based)
Polyester 31%
Polyurethane 20%

Flame Resistance
NFPA 260 (UFAC Class 1)
ASTM E-84 (Adhered) Class A
ASTM E-84 (Unadhered)
Class A
EN 1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)

Lightfastness
AATCC 16E, 40 hours, Class 5

Abrasion
200.000 double rubs
Wyzembeek method

Maintenance
Clean with water solvent based
cleaning agent



K102115 Alpine



K102124 Tapioca



K102126 Cement



K102125 Pebble



K10218 Poppy



K102139 Ruby Red



K102131 Petal

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Ultrasuede®


Content
Polyester microfiber 49%
(30% plant based)
Polyester 31%
Polyurethane 20%


Flame Resistance
NFPA 260 (UFAC Class 1)
ASTM E-84 (Adhered) Class A
ASTM E-84 (Unadhered)
Class A
EN 1021 1/2
British Standard 5852:
1990 Source 5 (crib 5)

Lightfastness
AATCC 16E, 40 hours, Class 5

Abrasion
200.000 double rubs
Wyzembeek method

Maintenance
Clean with water solvent based
cleaning agent


K102128 Ray



K102118 Kiwi



K102136 Avocado



K102134 Tinted Gold


K102141 Tamarind


K102140 Plum


K102132 Vermillion


K102137 Cerulean


K102113 Placid


K102114 Midnight


K102129 Mink


K102133 Chinchilla


K102120 Silver


K102121 Flannel


K102122 Black Onyx

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Cato


Content
Wool 86%
Rayon 14%


Flame Resistance
California Technical Bulletin 117
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)

Lightfastness
ISO 5

Abrasion
80,000 rubs
Martindale method


Maintenance
Clean with solvent-based cleaning agent



H80019 Fire Red



H80040 Orange


H80050 Natural



H80012 Ivory


H80051 Yellow



H80041 Green


H80042 Blue


H8002 Sand


H80043 Brown


H80044 Grey


H80052 Hot Pink

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Knoll Velvet

KnollTextiles Archival Collection, 1970

Content
Ground: cotton 54%
Pile: mohair 46%

Flame Resistance
California Technical Bulletin 117
NFPA 701 Test 1 (1996) with topical treatment
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)

Lightfastness
ISO 5

Abrasion
20,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent




K78487 Swan



K78489 Amarillo




K78471 Silver



K78449 Sage



K78470 Palomino



K78488 Ethereal



K78485 Penny

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Knoll Velvet

KnollTextiles Archival Collection, 1970

Content
Ground: cotton 54%
Pile: mohair 46%

Flame Resistance
California Technical Bulletin 117
NFPA 701 Test 1 (1996) with topical treatment
EN1021 1/2
British Standard 5852: 1990 Source 5 (crib 5)

Lightfastness
ISO 5

Abrasion
20,000 rubs
Martindale method

Maintenance
Clean with solvent-based cleaning agent


K78474 Moss



K78463 Marina


K78448 Graphite


K78490 Cloister


K78491 Inferno


K78492 Flamenco


K78493 Cirrus


K78481 Teal


K78484 Aviator


K78434 Wine


K78494 Macaw


K78495 Orbit


K78496 Ultraviolet


K78466 Ebony

KnollTextiles

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Spinneybeck

Spinneybeck Belting Leather (BL)

BL1914 White


BL1925 Umber


BL1924 Warm Beige


BL1923 Brown


BL1922 Khaki


BL1921 Taupe


BL1920 Putty


BL1919 Cream


BL1918 Medium Grey


BL1917 Gun Metal


BL1916 Light Grey


BL1915 Smoke


BL1913 Indigo


BL1911 Dark Green


BL1907 Burnt Orange


BL1905 Red


BL1904 Cognac


BL1903 Tan

Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Spinneybeck

Spinneybeck Belting Leather (BL)


BL1902 Chocolate


BL1901 Dark Brown


BLBLK Black

Spinneybeck Haired Hide (BL)


OCP5HH Gold


OA12HH Chestnut


BLCKHH Black


3COLHH Tri-Colour

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Leather – Group W

Volo (VO)

VO785 White



VO947 Coffee Beann


VOBLK Black

Andes (AD)


AD6006 Altiplanos


AD6021 Gaucho


AD6040 Cabo Lobos


YN02 Pergamena

Velluto Pelle (VP)


VP03 Expresso


VP04 Talc


VP280 Amber


VPBLK Black

Acqua (AU)


AU601 Artic Sea

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Bellagio Leather



BEL04 Cognac




BEL02 Dark Brown



BEL12 Natural



BEL05 Taupe



BEL07 Milk Grey



BEL06 Charcoal



BEL01 Black

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Venezia Leather



06 Cognac



05 Dark Brown



03 Ivory



02 Natural



04 Brown



01 Black

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Velour Leather



VL120 Pignola



VL139 Desert velvet



VL127 Coca



VL123 Ahwahnee



VL144 Ferro



VLBLK Black

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Tables & Credenzas

Marble Tops



MA Arabescato




MST Statuarietto




MN Nero Marquina




MLE Levanto




MRR Rosso Rubino



MBE Brown Emperador



MSH Sahara Noir



MV Verde Alpi



MGC Grigio Carnico

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Wood Finishes




CH Chestnut



W Walnut



O Natural Oak



E Ebonized Oak



VW Walnut stained Oak



VG Grey Stained Oak



IR Iroko



TK Teak




RO Rosewood Santos

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Wood Finishes



FO Natural Ash



FE Ebonized Ash



FG Gray Stained Ash



FW Walnut Stained Ash



WG Wenge



DF Douglas Fir Natural



BS Brazilian Santos




HK Hickory


Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Meeting Tables

Melamine



(H) - [HL] White



(H) - [HN] Light Grey



(H) - [HU] Warm Grey



(G) - [GF] Light Oak



(G) - [GJ] Light Walnut



(G) - [GL] Dark Elm



(G) - [GM] Dark Walnut




(G) - [GR] Bleached Oak


Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Meeting Tables

Laminate



FB White Fenix®



FN Black Fenix®

Wood



CH Chestnut

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Table Tops

Glass



BRG Bronze Glass




G2 Clear Glass

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Platner & Bertoia Collections

Metal Structures



Polished Nickel



BRM Metallic Bronze



G Metallic Gold



C Polished Chrome



O Satin Chrome



BRM Bronze



W Rilsan White



BL Rilsan Black

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Bertoia Chair and Stool


Plastic Shell



BL Black



MG Medium Grey



WH White



OR Orange Red

YE Yellow



BLUE Blue

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Bertoia Cowhide



CB2 Natural



CB3 Dark Brown



CB1 Black

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Bertoia Vinyl

52VI White




62VI Pearl



04VI Olive Brown



65VI Cherry



59VI Black

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

KN Collection by Knoll

Metal Legs




B Polished Aluminium



M Charcoal

Wooden Legs



VE Ebonised



VG Grey



VO Natural




VW Walnut


Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Saarinen Conference Chairs

Metal Legs



C Chrome




BC Black Chrome



1 Black Metal

Wooden Legs



VE Ebonised Oak



VG Grey Stained Oak



VO Natural Oak




VW Walnut Stained Oak

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Pilot Chair For Knoll

Base Finish



Bright Aluminium



Charcoal


Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Krusin Collection 016

Wooden Structure



FO Natural Ash



FE Ebonised Ash



FG Grey Stained Ash



FW Walnut Stained Ash

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Pollock **Arm Chair**



CP2 Natural




CP3 Dark Brown



CP1 Black

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Wassily Chair



L84 White-Beige



L82 Light Brown



L80 Black



04C Cognac



02BC Green Bauhaus

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

MR Chair
Bauhaus 100th Anniversary Edition



NT Natural



DB Dark Brown



BL Black




CG Cognac

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Laccio Table

Laminate Top



F1 White



F2 Black



F3 Red


Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.

Oasys
Outdoor Collection

Content
100% Ten Stars Yarn

Lightfastness
ISO 7

Abrasion
50,000 rubs
Martindale method




OA41 White



OA07 Sand



OA04 Taupe



OA06 Rust



OA03 Avio


Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Seashell
Outdoor Collection

Content
88% Polypropylene
12% Polyester

Lightfastness
ISO 7/8

Abrasion
30,000 rubs
Martindale method



040S White



215S Sand



047S Grey



216S Rust



207S Coffee



048S Charcoal


Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Tide
Outdoor Collection

Content
72% Recycled Polypropylene
28% Polyester

Lightfastness
ISO 7

Abrasion
40,000 rubs
Martindale method



100D White



104D Linen



405D Yellow



713D Blue



920D Grey


Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Waves
Outdoor Collection

Content
91% Acetate
9% Polyester

Lightfastness
ISO 7

Abrasion
50,000 rubs
Martindale method




W100 White



W104 Linen



W405 Yellow



W713 White Blue



W719 Blue



W912 Grey


Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Horizon
Outdoor Collection

Content
100% Polypropylene

Lightfastness
ISO 7/8


Abrasion
40,000 rubs
Martindale method




345H White



001H Sand



324H Light Grey



127H Taupe



201H Charcoal


Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Shore
Outdoor Collection


Content
100% Recycled Polypropylene

Lightfastness
ISO 7

Abrasion
35,000 rubs
Martindale method




104J Linen



405J Yellow



713J Blue




912J Grey


Please use this sample card as indicative, only. It is provided as a guide. There may be variations between this sample card and the real samples.

Schultz 1966 Collection®

Metal Finishes for Chairs & Tables




White




Onyx

Mesh & Straps for Chairs




White Frame with White Mesh & Strap



Onyx Frame with Onyx Mesh & Onyx Strap

Porcelaine Table Tops



White



Dark Bronze

Please use this sample card as indicative, only. It is provided as a guide.
There may be variations between this sample card and the real samples.